

The new Q.PRO-G4 is the result of the continued evolution of our Q.PRO family. Thanks to improved power yield, excellent reliability, and high-level operational safety, the new Q.PRO-G4 generates electricity at a low cost (LCOE) and is suitable for a wide range of applications.



LOW ELECTRICITY GENERATION COSTS

Higher yield per surface area and lower BOS costs thanks to higher power classes and an efficiency rate of up to 16.2 %.



INNOVATIVE ALL-WEATHER TECHNOLOGY

Optimal yields, whatever the weather with excellent low-light and temperature behavior.



ENDURING HIGH PERFORMANCE

Long-term yield security with Anti-PID Technology 1 , Hot-Spot-Protect and Traceable Quality Tra.Q $^{\text{TM}}$.



LIGHT-WEIGHT QUALITY FRAME

High-tech aluminum alloy frame, certified for high snow (5400 Pa) and wind loads (4000 Pa).



MAXIMUM COST REDUCTIONS

Up to 10 % lower logistics costs due to higher module capacity per box.



SAFE ELECTRONICS

Protection against short circuits and thermally induced power losses due to breathable junction box and welded cables.



A RELIABLE INVESTMENT

Inclusive 12-year product warranty and 25-year linear performance guarantee².

THE IDEAL SOLUTION FOR:


















- APT test conditions: Cells at -1000V against grounded, with conductive metal foil covered module surface, 25 °C, 168 h
- See data sheet on rear for further information.





EL	ECTRICAL CHARACTERIS	TICS				
P0\	VER CLASS			255	260	265
MINIMUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC1 (POWER TOLERANCE +5W /- OW)						
Minimum	Power at MPP ²	P _{MPP}	[W]	255	260	265
	Short Circuit Current*	I _{sc}	[A]	9.07	9.15	9.23
	Open Circuit Voltage*	V _{oc}	[V]	37.54	37.77	38.01
	Current at MPP*	I _{MPP}	[A]	8.45	8.53	8.62
	Voltage at MPP*	\mathbf{V}_{MPP}	[V]	30.18	30.46	30.75
	Efficiency ²	η	[%]	≥15.3	≥15.6	≥15.9
MINIMUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NOC3						
Minimum	Power at MPP ²	P _{MPP}	[W]	188.3	192.0	195.7
	Short Circuit Current*	I _{sc}	[A]	7.31	7.38	7.44
	Open Circuit Voltage*	V _{oc}	[V]	34.95	35.16	35.38
	Current at MPP*	I _{MPP}	[A]	6.61	6.68	6.75
	Voltage at MPP*	V_{MPP}	[V]	28.48	28.75	29.01
1100	0 W/m ² , 25 °C, spectrum AM 1.5 G	² Measurement tolerances STC ±3	3 %; NOC ±5 %	³ 800 W/m ² , NOCT, spectrum AM 1.5 G	* typical values, actual values may differ	

Q CELLS PERFORMANCE WARRANTY

The production capacity in 2014 (as at: September 2014)

At least 97 % of nominal power during first year. Thereafter max. 0.6 % degradation per year.

dation per year. At least 92 % of nominal power after 10 years.

At least 83 % of nominal power after 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.

PERFORMANCE AT LOW IRRADIANCE



The typical change in module efficiency at an irradiance of 200 W/m² in relation to 1000 W/m² (both at 25 °C and AM 1.5G spectrum) is -2 % (relative).

TEMPERATURE COEFFICIENTS							
Temperature Coefficient of I _{sc}	α	[%/K]	+0.04	Temperature Coefficient of \mathbf{V}_{oc}	β	[%/K]	-0.30
Temperature Coefficient of P_{MPP}	γ	[%/K]	-0.41	Normal Operating Cell Temperature	NOCT	[° F]	113 ± 5.4 (45 ± 3 °C)

PROPERTIES FOR SYSTEM DE	SIGN			
Maximum System Voltage V _{SYS}	[V]	1000 (IEC) / 1000 (UL)	Safety Class	II
Maximum Series Fuse Rating	[A DC]	20	Fire Rating	C / TYPE 1
Max Load (UL) ²	[lbs/ft²]	75 (3600 Pa)	Permitted module temperature on continuous duty	-40 °F up to $+185$ °F (-40 °C up to $+85$ °C)
Load Rating (UL) ²	[lbs/ft²]	55.6 (2666 Pa)	² see installation manual	

QUALIFICATIONS AND CERTIFICATES	PACKAGING INFORMATION	
UL 1703; VDE Quality Tested; CE-compliant;	Number of Modules per Pallet	32
IEC 61215 (Ed.2); IEC 61730 (Ed.1) application class A	Number of Pallets per 53' Container	32
	Number of Pallets per 40' Container	26
DYE US C Certified US UL 1703	Pallet Dimensions ($L \times W \times H$)	$68.7 \text{in} \times 45.0 \text{in} \times 46.0 \text{in}$ (1745 × 1145 × 1170 mm)
(254141)	Pallet Weight	1435 lbs (651 kg)

NOTE: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

Hanwha Q CELLS USA Corp.

300 Spectrum Center Drive, Suite 1250, Irvine, CA 92618, USA | TEL +1 949 748 59 96 | EMAIL q-cells-usa@q-cells.com | WEB www.q-cells.us

