



We Anchor Your Energy

# Table of Contents

Terms and Conditions	page 2
All Tile Roof Products	page 3
Spanish Tile Roof Products	page 5
Flat Tile Roof Products	page 9
Stone Coated Steel Roof Products	page 11
Asphalt Shingle Roof Products	page 14
Accessories	page 16

# Terms and Conditions

## Pricing:

We make every effort to ensure that all the information contained within our price lists and quotes are complete and accurate. Quickscrews International Corporation reserves the right to make any changes or corrections to any information which may have been published in error. Part numbers, quantities, and weights are subject to change without notice.

## Freight Policy:

All orders are FOB shipping origin. We reserve the right to ship orders from any of our warehouse locations at our discretion. We offer our Distributor Partners the benefit of the only No Minimum "Drop-Ship" policy in our industry. Drop shipped orders will not be billed 3rd party or freight collect. Note that shipments made to branch locations within your own company are not deemed to be "drop shipments" but normal orders. All Online Orders are subject to a \$2.00 handling charge.

#### Notification of Errors:

Shipping errors must be documented in writing to our Customer Service department within five days of receipt of merchandise. We must be notified of any shortages within five days of receipt of merchandise. Shortages will not be credited unless noted on trucking company bill of lading at time of delivery. All requests need to be in writing. You may e-mail to: jwiener@quickscrews.com or fax to: 800-689-7975.

#### Returns:

All returns must have an RGA issued to receive credit. All products that are not deemed defective must be returned within 30 days of Invoice date. Returns can be subject up to a 30% Restocking charge. All requests must be in writing. You may request a return by e-mail to: jwiener@quickscrews.com or fax to: 800-689-7975.

## Carton Quantities/Weights:

We make every effort to ensure the published carton quantities and weights are accurate, but make no guarantees and such information is subject to change without notice.

## Pack Quantities/Weights:

We make every effort to ensure the published pack quantities, packs per case, and weights are accurate, but make no guarantees and such information is subject to change without notice. We reserve the right to ship pack orders to the nearest full-case quantities.

## Warranty:

All products are produced to standard and commercial tolerances. We warranty products to be free from defects in materials and manufacturing. When we have determined that a product is defective, it will be replaced. At our discretion, a credit may be issued instead of replacement. Our liability is limited to the cost of the defective product only. No other warranty is implied.

## Liability:

The customer shall be responsible for testing and verifying the suitability of the product for intended use. No warranty for intended use is implied. The customer assumes all risk and liability. Our only obligation is replacement or credit for product proven defective. We shall not be deemed liable for any loss or damage that may occur from the use or inability to use the product. If you have any questions, please contact us at any time: E-Mail: jwiener@quickscrews.com

#### **Dimensions:**

Dimensions are subject to change without notice.

## All Tile Roof Hooks

Part #	Box Quantity	Screw Size
17585	10 Hooks	Not Included
17586	1 Hook	Not Included
17587	10 Hooks & 20 Screws	#14 x 3"
17588	1 Hook & 2 Screws	#14 x 3"
17589	10 Hooks & 20 Screws	5/16" x 3"
17618	1 Hook & 2 Screws	5/16" x 3"

For Side Mount Rails
Type 304 Stainless Steel
6mm Thickness
8mm Adjustable Height
140mm Wide Base





9mm x 18mm Mounting Screw Slots Use our 5/16" Solar Mounting Screws 10mm x 46mm Rail Attachment Slot Accepts 5/16" or 3/8" Bolts

Adjustable Base with Three Leverage Points Works with both Flat and Spanish Tile Roofs 179.50mm Length of Entire Hook 165.30mm - 173.50mm Bottom End to Top End




Part #	Box Quantity	Screw Size
17578	10 Hooks	Not Included
17579	1 Hook	Not Included
17616	10 Hooks & 20 Screws	#14 x 3"
17617	1 Hook & 2 Screws	#14 x 3"
17600	10 Hooks & 20 Screws	5/16" x 3"
17601	1 Hook & 2 Screws	5/16" x 3"

For Bottom Mount Rails
Type 304 Stainless Steel
6mm Thickness
9mm Adjustable Height
140mm Wide Base

9mm x 18mm Mounting Screw Slots Use our 5/16" Solar Mounting Screws 10mm x 38mm Rail Attachment Slot Accepts 5/16" or 3/8" Bolts

Adjustable Base with Three Leverage Points
Works with both Flat and Spanish Tile Roofs
179.54mm Length of Entire Hook
93mm - 102mm Bottom End to Top End




# All Tile Roof Hooks

Part #	Box Quantity	Screw Size
17504	10 Hooks	Not Included
17505	1 Hook	Not Included
17506	10 Hooks & 20 Screws	#14 x 3"
17507	1 Hook & 2 Screws	#14 x 3"







9mm Mounting Screw Holes
Use our #14 or 5/16" Solar Mounting Screws
10mm x 38mm Rail Attachment Slot
Accepts 5/16" or 3/8" Bolts

Adjustable Base with Three Leverage Points Works with both Flat and Spanish Tile Roofs 179.54mm Length of Entire Hook 93mm - 102mm Bottom End to Top End




Part #	Box Quantity	Screw Size
17508 (STRH90)	10 Hooks	Not Included
17509 (STRH90-1)	1 Hook	Not Included
17510 (STRH90S14)	10 Hooks & 20 Screws	#14 x 3"
17511 (STRH90S14-1)	1 Hook & 2 Screws	#14 x 3"

For Side Mount Rails
Type 304 Stainless Steel
5mm Thickness
180mm Wide Base



7.50mm x 37mm Mounting Screw Slots Use our #14 Solar Mounting Screws 10mm x 46mm Rail Attachment Slot Accepts 5/16" or 3/8" Bolts

> 151mm Length of Entire Hook 165mm Bottom End to Top End



Part #	Box Quantity	Screw Size
17512 (STRH180)	10 Hooks	Not Included
17513 (STRH180-1)	1 Hook	Not Included
17514 (STRH180S14)	10 Hooks & 20 Screws	#14 x 3"
17514 (STRH180S14-1)	1 Hook & 2 Screws	#14 x 3"

For Bottom Mount Rails Type 304 Stainless Steel 5mm Thickness 180mm Wide Base

7.50mm x 37mm Mounting Screw Slots
Use our #14 Solar Mounting Screws
10mm x 46mm Rail Attachment Slot
Accepts 5/16" or 3/8" Bolts

148mm Length of Entire Hook 119mm Bottom End to Top End



Part #	Box Quantity	Screw Size
17520	10 Hooks	Not Included
17521	1 Hook	Not Included
17522	10 Hooks & 20 Screws	#14 x 3"
17523	1 Hook & 2 Screws	#14 x 3"

For Side Mount Rails
Type 304 Stainless Steel
5mm Thickness
23mm Adjustable Height
203mm Wide Base





7.50mm x 37mm Mounting Screw Slots
Use our #14 Solar Mounting Screws
10mm x 46mm Rail Attachment Slot
Accepts 5/16" or 3/8" Bolts

Ideal Solution for Clay Tiles 151mm Length of Entire Hook 192mm - 214mm Bottom End to Top End




Part #	Box Quantity	Screw Size
17524	10 Hooks	Not Included
17525	1 Hook	Not Included
17526	10 Hooks & 20 Screws	#14 x 3"
17527	1 Hook & 2 Screws	#14 x 3"

For Bottom Mount Rails Type 304 Stainless Steel 5mm Thickness 30mm Adjustable Height 203mm Wide Base

9mm x 37mm Mounting Screw Slots Use our 5/16" Solar Mounting Screws 10mm x 38mm Rail Attachment Slot Accepts 5/16" or 3/8" Bolts


Ideal Solution for Clay Tiles 161.60mm Length of Entire Hook 126.20mm - 148mm Bottom End to Top End



Part #	<b>Box Quantity</b>	Screw Size
STRHADJ18097	10 Hooks	Not Included
STRHADJ18097-1	1 Hook	Not Included
STRHADJ18097S14	10 Hooks & 20 Screws	#14 x 3"
STRHADJ18097S14-1	1 Hook & 2 Screws	#14 x 3"

For Bottom Mount Rails Type 304 Stainless Steel 5mm Thickness 30mm Adjustable Height 203mm Wide Base





7.50mm x 37mm Mounting Screw Slots
Use our #14 Solar Mounting Screws
9mm x 46mm Rail Attachment Slot
Accepts 5/16" Bolts

Ideal Solution for Clay Tiles 193.20mm Length of Entire Hook 134mm Bottom End to Top End



Part #	Box Quantity	Screw Size
17516 (STRHADJ)	10 Hooks	Not Included
17517 (STHADJ-1)	1 Hook	Not Included
17518 (STRHADJS14)	10 Hooks & 20 Screws	#14 x 3"
17519 (STRHADJS14-1)	1 Hook & 2 Screws	#14 x 3"

For Bottom Mount Rails
Type 304 Stainless Steel
5mm Thickness
15mm Top Adjustable
180mm Wide Base


7.5mm x 37mm Mounting Screw Slots Use our #14 Solar Mounting Screws 10mm x 46mm Rail Attachment Slot Accepts 5/16" or 3/8" Bolts

145mm Length of Entire Hook 129.50mm Bottom End to Top End



Part #	Box Quantity	Screw Size
17568	10 Hooks	Not Included
17569	1 Hook	Not Included
17570	10 Hooks & 20 Screws	#14 x 3"
17571	1 Hook & 2 Screws	#14 x 3"
17572	10 Hooks & 20 Screws	5/16" x 3"
17573	1 Hook & 2 Screws	5/16" x 3"





9mm x 18mm Mounting Screw Slots Use our #14 or 5/16" Solar Mounting Screws 10mm x 46mm Rail Attachment Slot Accepts 5/16" or 3/8" Bolts

Adjustable Base with Three Leverage Points 179.50mm Length of Entire Hook 165.30mm - 173.50mm Bottom End to Top End




	Part #	Box Quantity	Screw Size
ď	17574	10 Hooks	Not Included
	17575	1 Hook	Not Included
	17576	10 Hooks & 20 Screws	#14 x 3"
	17577	1 Hook & 2 Screws	#14 x 3"

For Side Mount Rails
Type 304 Stainless Steel
6mm Thickness
5mm Adjustable Height
203mm Wide Base

9mm x 37mm Mounting Screw Slots
Use our #14 or 5/16" Solar Mounting Screws
10mm x 46mm Rail Attachment Slot
Accepts 5/16" or 3/8" Bolts


Adjustable Base with Three Leverage Points 180.50mm Length of Entire Hook 178mm Bottom End to Top End



# Flat Tile Roof Hooks

Part #	Box Quantity	Screw Size
17540 (FTRH9038)	20 Hooks	Not Included
17541 (FTRH9038-1)	1 Hook	Not Included
17542 (FTRH9038S14)	20 Hooks & 40 Screws	#14 x 3"
17543 (FTRH9038S14-1)	1 Hook & 2 Screws	#14 x 3"
17608	20 Hooks & 40 Screws	5/16" x 3"
17609	1 Hook & 2 Screws	5/16" x 3"

For Side Mount Rails Type 304 Stainless Steel 5mm Thickness 81.82mm Base Length



9mm Mounting Screw Holes
Use our #14 or 5/16" Solar Mounting Screws
10mm x 46mm Rail Attachment Slot
Accepts 5/16" or 3/8" Bolts

286mm Length of Entire Hook 158mm Bottom End to Top End




Part #	Box Quantity	Screw Size
17544	20 Hooks	Not Included
17545	1 Hook	Not Included
17546	20 Hooks & 40 Screws	#14 x 3"
17547	1 Hook & 2 Screws	#14 x 3"
17610	20 Hooks & 40 Screws	5/16" x 3"
17611	1 Hook & 2 Screws	5/16" x 3"

For Bottom Mount Rails Type 304 Stainless Steel 5mm Thickness 78mm Base Length

9mm Mounting Screw Holes
Use our #14 or 5/16" Solar Mounting Screws
10mm x 38mm Rail Attachment Slot
Accepts 5/16" or 3/8" Bolts

285mm Length of Entire Hook 124.22mm Bottom End to Top End




# Flat Tile Roof Hooks

Part #	Box Quantity	Screw Size
FTRH18038	20 Hooks	Not Included
FTRH18038-1	1 Hook	Not Included
FTRH18038S14	20 Hooks & 40 Screws	#14 x 3"
FTRH18038S14-1	1 Hook & 2 Screws	#14 x 3"



For Bottom Mount Rails Type 304 Stainless Steel 5mm Thickness 78mm Base Length



7.50mm Mounting Screw Holes Use our #14 Solar Mounting Screws 9mm x 38mm Rail Attachment Slot Accepts 5/16" Bolts


285mm Length of Entire Hook 138mm Bottom End to Top End



## Stone Coated Steel Roof Hooks

Part #	Box Quantity	Screw Size
17548	20 Hooks	Not Included
17549	1 Hook	Not Included
17550	20 Hooks & 40 Screws	#14 x 3"
17551	1 Hook & 2 Screws	#14 x 3"
17612	20 Hooks & 40 Screws	5/16" x 3"
17613	1 Hook & 2 Screws	5/16" x 3"

For Side Mount Rails
Type 304 Stainless Steel
5mm Thickness
18mm Adjustable Height
130mm Base Length



9mm Mounting Screw Holes
Use our #14 or 5/16" Solar Mounting Screws
10mm x 38mm Rail Attachment Slot
Accepts 5/16" or 3/8" Bolts

63.50mm Wide Batten Bridge with 9mm x 40mm Slot 268.30mm Length of Entire Hook 127mm - 136mm Bottom End to Top End




Part #	Box Quantity	Screw Size
17552	20 Hooks	Not Included
17553	1 Hook	Not Included
17554	20 Hooks & 40 Screws	#14 x 3"
17555	1 Hook & 2 Screws	#14 x 3"
17614	20 Hooks & 40 Screws	5/16" x 3"
17615	1 Hook & 2 Screws	5/16" x 3"

For Bottom Mount Rails
Type 304 Stainless Steel
5mm Thickness
18mm Adjustable Height
130mm Base Length

9mm Mounting Screw Holes
Use our #14 or 5/16" Solar Mounting Screws
10mm x 38mm Rail Attachment Slot
Accepts 5/16" or 3/8" Bolts


63.50mm Wide Batten Bridge with 9mm x 40mm Slot 268.30mm Length of Entire Hook 223.80mm Bottom End to Top End



Stone Coated Steel Roof Hooks

Part #	Box Quantity	Screw Size
17532	20 Hooks	Not Included
17533	1 Hook	Not Included
17534	20 Hooks & 40 Screws	#14 x 3"
17535	1 Hook & 2 Screws	#14 x 3"
17604	20 Hooks & 40 Screws	5/16" x 3"
17605	1 Hook & 2 Screws	5/16" x 3"

For Side Mount Rails Type 304 Stainless Steel 5mm Thickness 130mm Base Length



9mm Mounting Screw Holes
Use our #14 or 5/16" Solar Mounting Screws
10mm x 38mm Rail Attachment Slot
Accepts 5/16" or 3/8" Bolts

63.50mm Wide Batten Bridge with Three 9mm Holes 263mm Length of Entire Hook 144.60mm Bottom End to Top End



Part #	Box Quantity	Screw Size
17536	20 Hooks	Not Included
17537	1 Hook	Not Included
17538	20 Hooks & 40 Screws	#14 x 3"
17539	1 Hook & 2 Screws	#14 x 3"
17606	20 Hooks & 40 Screws	5/16" x 3"
17607	1 Hook & 2 Screws	5/16" x 3"

For Side Mount Rails
Type 304 Stainless Steel
5mm Thickness
130mm Base Length

9mm Mounting Screw Holes
Use our #14 or 5/16" Solar Mounting Screws
10mm x 20mm Rail Attachment Slot
Accepts 5/16" or 3/8" Bolts

63.50mm Wide Batten Bridge with Three 9mm Holes 263mm Length of Entire Hook 218.50mm Bottom End to Top End



Stone Coated Steel Roof Hooks

Part #	Box Quantity	Screw Size
SCSRH180S	20 Hooks	Not Included
SCSRH180S-1	1 Hook	Not Included
SCSRH180SS14	20 Hooks & 40 Screws	#14 x 3"
SCSRH180SS14-1	1 Hook & 2 Screws	#14 x 3"

For Bottom Mount Rails Type 304 Stainless Steel 5mm Thickness 135mm Base Length



9mm Mounting Screw Holes Use our #14 or 5/16" Solar Mounting Screws 9mm x 20mm Rail Attachment Slot Accepts 5/16" Bolts

44.45mm Wide Batten Bridge with One 9mm Hole 259mm Length of Entire Hook 214.50mm Bottom End to Top End



Part #	Box Quantity	Screw Size
SCSRH180	20 Hooks	Not Included
SCSRH180-1	1 Hook	Not Included
SCSRH180S14	20 Hooks & 40 Screws	#14 x 3"
SCSRH180S14-1	1 Hook & 2 Screws	#14 x 3"

For Bottom Mount Rails Type 304 Stainless Steel 5mm Thickness 233.10mm Base Length

9mm Mounting Screw Holes
Use our #14 or 5/16" Solar Mounting Screws
9mm x 20mm Rail Attachment Slot
Accepts 5/16" Bolts

44.45mm Wide Batten Bridge with One 9mm Hole 442.10mm Length of Entire Hook 397.60mm Bottom End to Top End



Asphalt Shingle Roof Mounts

Part #	Box Quantity	Screw Size
15987	20 L-Feet; 20 Flashing; 40 Screws	5/16" x 4"
15987A	40 Flashing	Not Included
15987B	80 L-Feet	Not Included





Aluminum L-Foot Aluminum Flashing Flashing is 305mm x 305mm

10mm x 19mm Mounting Screw Slot Use our 5/16" Solar Mounting Screws 10mm x 42mm Rail Attachment Slot Accepts 5/16", 3/8" or M8 T-Bolts

Mount the L-Foot; Slide the Flashing Under the Shingle; Nail the Flashing to the Roof

Part #	Box Quantity	Screw Size
QBKIT1	10 Washers & 10 Bolts	5/16" x 3"; 5/16" x 7"
QBKIT2	10 Washers; 10 Bolts; 10 Offset L-Feet; 30 Flange Nuts	5/16" x 3"; 5/16" x 7"; NA; 5/16"
15685-20	20 QuickBOLTS	5/16" x 7"
15685-1	1 QuickBOLT	5/16" x 7"
15653-20	20 QuickBOLT Washers	5/16" x 3"
15653-1	1 QuickBOLT Washer	5/16" x 3"
15652	1 Deep Socket Hex Driver	NA



0

No Flashing Necessary
Simpy Drill, Seal, and Mount...lt's That Easy!

5/16" x 3" Stainless Steel EPDM Compression Washer 5/16" x 7" Stainless Steel Removable Hanger Bolt

Drive the Bolt to Compress the Washer onto the Roof for a 100% Waterproof Mounting Solution



# Asphalt Shingle Roof Mounts

Part #	Box Quantity	Screw Size
17582	40 Flashing	Not Included
17583	1 Flashing	Not Included
17590	40 U-Feet	Not Included
17591	1 U-Foot	Not Included
17592	20 Flashing; 20 U-Feet; 40 Screws	5/16" x 3"






Aluminum L-Foot Aluminum Flashing Flashing is 305mm x 305mm

7.20mm Mounting Screw Holes
Use our 5/16" Solar Mounting Screws
10mm x 25.60mm Rail Attachment Slot
Accepts 5/16", 3/8", or M8 T-Bolts

Mount the U-Foot; Slide the Flashing Under the Shingle; Design Self-Secures Flashing



Part #	Box Quantity	Screw Size
17580	40 U-Feet	Not Included
17581	1 U-Foot	Not Included
17582	40 Flashing	Not Included
17583	1 Flashing	Not Included
17584	20 Flashing; 20 U-Feet; 40 Screws	5/16" x 3"

Aluminum L-Foot Aluminum Flashing Flashing is 305mm x 305mm

> 7.20mm Mounting Screw Holes Use our 5/16" Solar Mounting Screws 9mm x 25.60mm Rail Attachment Slot Accepts 5/16" T-Bolts

Mount the U-Foot; Slide the Flashing Under the Shingle; Design Self-Secures Flashing



## Accessories

Part #	Box Quantity	Screw Size
17556	20 Screws	#14 x 3"
17557	24 Screws	#14 x 3"
17558	40 Screws	#14 x 3"
17559	20 Screws	#14 x 4"



Type 17 Point Allows for Quicker Starting and Reduced Splitting

Part #	Box Quantity	Screw Size
16991	40 Screws	5/16" x 4"
16992	30 Screws	5/16" x 4"
16993	20 Screws	5/16" x 4"
16990	40 Screws	5/16" x 3"
16988	20 Screws	5/16" x 3"







Stainless Steel T-Bolts with Slot for Solar Rail Attachment

Part #	Box Quantity	Size
15988	100 T-Bolts	M8 x 25mm
15990	20 T-Bolts	5/16" x 3/4"
15992	20 T-Bolts	5/16" x 1"
15998	20 T-Bolts	3/8" x 3/4"
15999	20 T-Bolts	3/8" x 1"

Part #	Box Quantity	Size
15665	100 Flange Nuts	1/4"
15879	20 Flange Nuts	5/16"
15880	30 Flange Nuts	5/16"
15669	20 Flange Nuts	3/8"
15989	100 Flange Nuts	M8





Hex Serrated Flange Nuts Provide a Locking Action and Act as a Non-Spinning Washer

## Accessories

Part #	Box Quantity	
15891	1 Offset L-Foot	
15891-10	10 Offset L-Feet	
15891BLK	1 Offset L-Foot Black	
15891BLK-10	10 Offset L-Feet Black	



Offset L-Feet for Solar Rail Attachment

Roof Screw Drivers to Drive #14 and 5/16" Solar Mounting Screws



Part #	Box Quantity	Size
15437	1 Roof Screw Driver	3/8" x 1-3/4"
15433	1 Roof Screw Driver	1/2" x 1-3/4"

Part #	Box Quantity	Screw Size
15848	100 Screw Bolts	1/4" x 1"
15802	40 Screw Bolts	5/16" x 1-1/4"
15670	20 Screw Bolts	3/8" x 3/4"
15895	20 Screw Bolts	3/8" x 1"



EPDM Rubber-Backed Washer
Stainless Steel Flat Washer

The stainless Steel Flat Washer

The stainless Steel Flat Washers

The stainless Steel

# About Us

SolarRoofHook.com is a division of Quickscrews International Corporation. Quickscrews International is one of the last remaining full-line suppliers of cabinet and furniture screws. Established over 25 years ago, the company is best known for its innovation and creativity in bringing solutions to the professional Furniture Manufacturers, Cabinetmakers and Woodworking industries.

The formula Quickscrews used for success was easy - find out what the customer is using, learn what they do not like (find the pain) and develop a new product that fixes the problems. SolarRoofHook.com has set out to repeat those steps to make installing solar panels on residential roofs easier. Innovation and demand has allowed SolarRoofHook.com to rapidly expand its product offering in the roof mounting supply area.

Today, SolarRoofHook.com has a wide range of innovative products for mounting solar panels onto residential roofs. The company has solutions for Asphalt Shingle (Composite) Roofs, Flat Tile Roofs, Spanish (Curved) Tile Roofs, and Stone Coated Steel (Calpac) Roofs. SolarRoofHook.com can produce custom products from start to finish in 60 days and are continually working with installers to deliver the exact products needed for any type of roof.

Products are stocked in Livermore, California, and Rock Hill, South Carolina, allowing SolarRoofHook.com to meet the needs of any company or individual nationwide. Business hours are Monday-Friday, 7am-5pm Pacific Time.

Like Us On:



Follow Us On:



Watch Our Videos On:





# Innovative Solar Mounting Solutions for Residential Roofs



**A Division Of** 

